Photodesorption of Glid-Cop by High Energy Photon

Kowashi Watanabe¹⁾, Hiroyuki A. Sakaue¹⁾, Motoaki Iizuka¹⁾, Hiroshi Saeki¹⁾, Haruo Ohkuma¹⁾, Takao Hanasaka²⁾, Katsuki Yano³⁾ and Suck Hee Be¹⁾

- 1) SPring-8, Kamigori, Ako-gun, Hyogo 678-12, Japan
- 2) Shimazu Corporation, Chiyoda-ku, Tokyou 101, Japan
- 3) Plasma Physics Lab., The Institute of Physical and Chemical Research (RIKEN), Wako, Saitama 351, Japan

In the design and manufacture of the vacuum system for the SPring-8 storage ring, interaction of synchrotron radiation (SR) with absorbers is one of main problems to be considered. To investigate the influence of the interactions we measured the photodesorption yield of Glid-Cop (Al₂O₃-0.15% dispersion strengthened copper), the material of the irradiated section on the absorber, using the high energy photon beam (the critical energy 26 keV) from the Accumulation Ring (AR) of TRISTAN at KEK.

half a day at 150 $^{\circ}$ C before the SR irradiation, and thereby the background pressure for experiments was 5.5x10⁻⁷ Pa. The chamber was cooled with water to reduce thermal desorption during experiments. The outgassing rate due to photodesorption was obtained by through-put method.

Figure 2 shows the relation between the photodesorption yields (η) and the photon dose (Dp). The η are nearly constant below the Dp of 10^{20} photons/slit and decrease with an increase in the Dp.

of OFHC [2]. These suggest that the influence on vacuum by the secondary photodesorption of the alluminum alloy is larger than that for Glid-Cop. We consider that most of the SR-induced gases are mainly desorbed from the alluminum alloy in the absorber chamber and that the use of Glid-Cop as the absorber has little influence on vacuum.

References

- [1] K.Watanabe et al.: RIKEN Accel. Prog. Rep. 26, 163 (1992).
- [2] S.Ueda et al.: Vacuum, 41, No.7-9, 1928 (1990).